



DOE

Department of
the Environment
www.doeni.gov.uk

Planning Application Accompanied by an Environmental Statement; Further Environmental Information Received

**The Planning (General Development Procedure) Order
(Northern Ireland) 2015 (Article 8)**

**The Planning (Environmental Impact Assessment)
Regulations (Northern Ireland) 2015 (Regulation 20)**

Causeway Coast and Glens Borough Council

Application No: D/2014/0011/F

Proposal: Extension to basalt quarry (part retrospective)

Location: Lands to the west and south of no. 93 Bridge Road,
Dunloy, BT44 9EG

The further environmental information relates to the impacts of the retrospective portion of the development in terms of population, flora and fauna, soil, air, material assets, cultural heritage and landscape. The application and associated further environmental information may be examined during normal office hours at the Strategic Planning Division, Causeway Exchange, 1-7 Bedford Street, Town Parks, Belfast BT2 7EG. It is advisable to make an appointment before calling at the office, tel: 03002007830.

The application and associated further environmental information may also be viewed at the Planning NI Web Portal via Public Access www.planningni.gov.uk

The information can be purchased, as long as stocks last, from:

Corkey Quarry offices, 160 Loughguile, Dunloy, Co. Antrim BT44 9JQ - Tel 028 2764 1237, or;

Quarryplan Limited, 6 Saintfield Road, Crossgar, Downpatrick, Co. Down BT 30 6HY, Tel: 028 44 832904. The Quarryplan Office should be contacted by telephone regarding availability of information.

The cost of purchasing a hard copy of the ES Addendum is £10.00

A copy of the information can also be viewed (on appointment) at P Keenan's Corkey Quarry Offices, 160 Loughguile, Dunloy, Co. Antrim BT44 9JQ - Tel 028 2764 1237.

Written representations on this application should be forwarded to the Strategic Planning Division, Causeway Exchange, 1-7 Bedford Street, Town Parks, Belfast BT2 7EG not later than 4 weeks from the date of this advertisement.

Please quote the reference number in all correspondence.